


Revisions			
Rev	Description	Date	Approved:
A	Initial Release	2019.4.30	A. M

ELECTRICAL PERFORMANCE

1. Frequency Range: 2.6-3.95 GHz
2. VSWR: 1.25 max.

MATERIAL

1. Waveguide Body: Aluminum



NOTES:

1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

Drawn:	W. Y 2019.4.30
Checked:	T. L 2019.4.30
Approved:	A. M 2019.4.30
Unless Otherwise Specified Dimensions are in Millimeters, Dimensions in [] are in Inches for Customer Reference Only. Unless Otherwise Specified Tolerance are: .XX ±0.13 [.005"] .X ±0.20 [.008"] X ±0.50 [.019"] .X° ±1° X° ±2°	

Title:	WR284 (UDR32) End Launch to N Female Adaptor, Freq 2.6-3.95 GHz
Part No:	DWCA284D1NF

DEEWAVE
www.deewave.com

View:

Size: A3	Scale: 1:1.5	Sheet: 1/1	Rev: A
----------	--------------	------------	--------